Application No.: 10/590,970

Reply dated July 26, 2010

Reply to Office Action of April 27, 2010

Docket No.: 0054-0323PUS1 Page 2 of 8

AMENDMENTS TO THE CLAIMS

Claims 1-5 (Cancelled)

6. (Currently Amended) A quantum cryptographic communication apparatus,

characterized in that the apparatus comprises comprising:

a quantum communication path for transferring a quantum;

a quantum transmitter apparatus provided on a transmission side of the quantum transfer

path;

a quantum receiver apparatus provided on a reception side of the quantum transfer path;

and

a control signal communication path connecting the quantum transmitter apparatus with

the quantum receiver apparatus, the control signal communication path being used for

communicating a control signal containing a synchronization signal between the quantum

transmitter apparatus and the quantum receiver apparatus, and in that:

a quantum receiver apparatus comprises:

a light source serving as a quantum source;

an optical path loop including a multiplexing/interfering means for generating

time difference twin photon pulses composed of both a signal optical pulse and a

reference optical pulse from a photon pulse outputted from the light source and for

multiplexing an-and causing interference between the signal optical pulse corresponding

to a retrograde quantum and the reference optical pulse;

a bypass optical path including a phase modulator which is provided at a port

connected to the quantum communication path, and phase-modulates only the reference

optical pulse received after the time difference twin photon pulses are reciprocated via

the quantum communication path between the quantum transmitter apparatus and the

quantum receiver apparatus; and

Docket No.: 0054-0323PUS1 Page 3 of 8

Application No.: 10/590,970 Reply dated July 26, 2010

Reply to Office Action of April 27, 2010

a photon detector for monitoring interference light passed through the optical

path loop;

the quantum transmitter apparatus comprises:

a polarized wave rotating means for rotating polarization planes of the twin

photon pulses at a right angle in a non-reciprocal manner, the twin photon pulses having

reached thereto from the quantum receiver apparatus via the quantum communication

path;

a phase modulator for phase-modulating a signal optical pulse passes through the

polarized wave rotating means and returning the signal optical pulse to the quantum

receiver apparatus through the quantum communication path so as to return the phase-

modulated signal optical pulse to the quantum receiver apparatus; and

a beam attenuating means for attenuating the signal optical pulse such that the

signal optical pulse includes less than two photons in the pulse.

7. (Currently Amended) The quantum cryptographic communication apparatus according

to claim 6, characterized in that wherein:

the bypass optical path is provided with a polarization beam splitter, the polarization

beam splitter being provided at a branch point between a transmission optical path and a

reception optical path of the bypass optical path; and

the polarization beam splitter allows, in a case where the polarization plane of the signal

optical pulse of the twin photon pulses is equal to the polarization plane of the reference optical

pulse thereof, only a fed-back photon pulse to pass through the reception optical path in which

the phase modulator is provided.

8. (Currently Amended) The quantum cryptographic communication apparatus according

to claim 6, characterized in that wherein a polarization modulator is provided between the optical

path loop and the bypass optical path, the polarization modulator serving to align, in a case

Application No.: 10/590,970 Docket No.: 0054-0323PUS1 Page 4 of 8

Reply dated July 26, 2010

Reply to Office Action of April 27, 2010

where the polarization plane of the signal optical pulse of the twin photon pulses is different

from the polarization plane of the reference optical pulse thereof, the polarization planes of the

twin photon pulses to match with each other in a going path by rotating the polarization plane of

the signal optical pulse only when the signal optical pulse passes therethrough.

9. (Currently Amended) The quantum cryptographic communication apparatus according

to claim 7, characterized in that wherein the polarization beam splitter includes two sets of 1X2

input/output type polarization beam splitters for guiding only a photon pulse having a specific

polarization plane to the reception optical path in which the phase modulator is provided.

10. (Currently Amended) The quantum cryptographic communication apparatus

according to claim 7, characterized in that wherein the polarization beam splitter includes one set

of 2X2 input/output type polarization beam splitter for guiding only a photon pulse having a

specific polarization plane to the reception optical path in which the phase modulator is

provided.

BIRCH, STEWART, KOLASCH & BIRCH, LLP

MKM/AMI/bms